

Sir:

Customer No. 22,852 Attorney Docket No. 07043.0020-00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
Masahiro SHIMIZU et al.) Group Art Unit: 3742
Patent No.: 7,075,037) Examiner: S. Fuqua
Issue Date: July 11, 2006) Confirmation No.: 7213
For: HEAT TREATMENT APPARATUS USING A LAMP FOR RAPIDLY AND UNIFORMLY HEATING A WAFER)) Certificate
Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450	JAN 3 1 2007 of Correction
Allohamana, VIV 22010 1900	or correction

STATUS INQUIRY FOR REQUEST FOR CERTIFICATE OF CORRECTION

Patentees filed a Request for Certificate of Correction ("Request") along with a Form PTO 1050 on August 2, 2006, and Patentees still have not received either a response to the Request or an official Certificate of Correction from the U.S. Patent and Trademark Office (USPTO). (See attached copy of Request (3 pages) and USPTO date-stamped postcard receipt.)

In view of these circumstances, the undersigned attorney respectfully requests that the USPTO advise him of the status of the Request as soon as possible.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

Dated: January 29, 2007

Christopher T. Kent

Reg. No. 48,216

DWH/CTK



PLEASE STAMP TO ACKNOWLEDGE RECEIPT OF THE FOLLOWING:

In Re Patent of: Masahiro SHIMIZU et al.

Confirmation No.:

Patent No.: 7,075,037

Group Art Unit:

Issued: July 11, 2006

Examiner:

For: HEAT TREATMENT APPARATUS USING A LAMP FOR RAPIDLY AND UNIFORMLY

HEATING A WAFER

1. Request for Certificate of Correction;

2. Form PTO 1050 (in duplicate); and

3. Check for \$100.00 to coxet the Request for Certificate of Correction fee.

Dated: August 2, 2006

AUG 0 2 2006


Docket No.: 07043.0020-00\(\frac{1}{2}\)

(Due Date: n/a)

DWH/CTK/mas - Mail Drop - Reston

Please return postcard to M. Sanchez/Reston-810B. Thank you.

Dkto 8 3-06 pmg





IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re U.S. Patent No.: 7,075,037

Inventors: Masahiro SHIMIZU et al.

Issue Date.: July 11, 2006

For: HEAT TREATMENT APPARATUS

USING A LAMP FOR RAPIDLY AND UNIFORMLY HEATING A WAFER

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

REQUEST FOR CERTIFICATE OF CORRECTION

Pursuant to 35 U.S.C. § 254, and 37 C.F.R. § 1.322, this is a request for a Certificate of Correction in the above-identified patent. At least one of the mistakes identified in the appended Form PTO 1050 occurred through the fault of the Patent Office and is of a clerical or typographical nature, or of minor character, and at least one of the mistakes resulted from an error made in good faith by patentees, as clearly disclosed by the records of the application which matured into this patent. A check in the amount of \$100 (the fee set forth in 37 C.F.R. § 1.20(a)) is attached. Should a check not be appended or should any additional fees be needed, authorization is hereby given to charge any fees due in connection with the filing of this request to Deposit Account No. 06-0916.

Two (2) copies of Form PTO 1050 are appended. The complete Certificate of Corrections involves ONE (1) page. Issuance of the Certificate of Correction containing the corrections is earnestly requested.

Please charge any required fees not included herewith to our Deposit Account No. 06-0916.

Respectfully submitted,

FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER, L.L.P.

Dated: August 2, 2006

David W. Hill Reg. No. 28,220

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO.

7,075,037

Page 1 of 1

APPLICATION NO.:

10/085,092

ISSUE DATE:

July 11, 2006

INVENTORS:

Masahiro Shimizu and Minoru Yazawa

It is hereby certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Claim 6, col. 54, line 45, "treaded" should read --threaded--.

Claim 9, col. 54, line 64, "comprising:" should read --comprises:--.

Claim 18, col. 55, lines 48, 50, and 51, "mid" (all occurrences) should read --said--.

MAILING ADDRESS OF SENDER

Finnegan, Henderson, Farabow, Garrett & Dunner, L.L.P. 901 New York Avenue, N.W. Washington, D.C. 20001-4413